



BOSCH

Invented for life



Detachable smart sensor

3D

Turbo air circulation technology



Suitable for large area

700+

High CADR value



reddot design award

Healthier indoor air quality

Bosch Air 7000 Air Purifier

Robert Bosch Limited (Thermotechnology Division)

FYI Center Tower1, 5th Floor, 2525 Rama4 Rd, Klongtoei, Klongtoei, Bangkok 10110, Thailand

Tel: +66 2012 8888 Email: tt.sales@sg.bosch.com



Product Specifications


Descriptions	KJ700F-A 7800N 700 H C3
Adaptive Filter Model	AF 700N & AFH 300
General	
Dimensions (LxWxH mm)	390X321X1036
Capacity (m ³)	48-84
Anti-bacterial by Plasma	●
Functions	
KJ700F-A 7800N 700 H C3	
Touch interface	●
Wheels	●
Humidifiers	●
PM2.5 value display	●
TVOC value display	●
Sleep mode	●
Filter replacement reminder	●
Child lock	●
Humidity temperature monitor	●
Air quality detector	●
Performances	
KJ700F-A 7800N 700 H C3	
CADR (particle) (m ³ /h)	700
CADR (HCHO) (m ³ /h)	400
Noise level [dB(A)]	66
Power consumption (W)	95
Bacterial removal (%)	>99%
CCM (particle) (mg)	P4
CCM (HCHO) (mg)	F4




Bosch Air Quality Sensor



Switch display
PM 2.5
and
TVOC



Warning display in
red



1 Convenience Usage
Simplified touch UI, easy-to-use

4 Filtration system
Duo filter, up to 99% remove hazardous gas and particles

5 Convenience Usage
Slim design, wheels for moving

2 Smart sensor
Numerically display: T / RH% / PM2.5 / TVOC
Bosch sensor tech inside
Innovative detachable design, to keep consistently good air

3 Design Sensation
3D air outlet design effectively speeds up the air circulation, suitable area 84m²

6 Plasma technology
Effective against respiratory allergy, up to 90% de-activated bacterial

7 Convenience Usage
Water level indication for humidifying

Product Specifications

Descriptions	KJ600F-A 7500G 600	KJ700F-A 7800N 700 C3	KJ700F-A 7800N 700 H C3
Adaptive Filter Model	AF 600G	AF700N	AF 700N & AFH 300
General			
Dimensions (LxWxH mm)	390X321X1036	390X321X1036	390X321X1036
Capacity (m³)	49-84	49-84	48-84
Anti-bacterial by Plasma	●	●	●
Functions			
	KJ600F-A 7500G 600	KJ700F-A 7800N 700 C3	KJ700F-A 7800N 700 H C3
Touch interface	●	●	●
Wheels	●	●	●
Humidifiers	○	○	●
PM2.5 value display	●	●	●
TVOC value display	○	●	●
Sleep mode	●	●	●
Filter replacement reminder	●	●	●
Child lock	●	●	●
Humidity temperature monitor	○	●	●
Air quality detector	○	●	●
Performances			
	KJ600F-A 7500G 600	KJ700F-A 7800N 700 C3	KJ700F-A 7800N 700 H C3
CADR (particle) (m³/h)	700	700	700
CADR (HCHO) (m³/h)	100	400	400
Noise level [dB(A)]	64	66	66
Power consumption (W)	85	95	95
Bacterial removal (%)	>99%	>99%	>99%
CCM (particle) (mg)	P4	P4	P4
CCM (HCHO) (mg)	F2	F4	F4

